



ACOUSTIC SOLUTIONS

2026 Habitat™ Collection

ACOULINE™ ACOUSTICS

We often focus on what we see – the light, the colours, and the layout. However, the most successful working spaces are those designed for what we hear. Acoustic boards are the essential bridge between a beautiful room and a functional one.

Whether in a bustling open-plan office, an educational space, or a creative studio, acoustic boards are the primary tool used to tune an environment for human comfort and peak performance.

As we move toward more collaborative and flexible environments, the noise of our daily lives has risen. Without acoustic treatment, these spaces become exhausting. In the modern landscape of open-plan offices and studious educational hubs, the invisible element of sound dictates the quality of our work. While visual design sets the tone, acoustic design defines the experience.

Acouline’s specialised porous materials intercept and absorb sound waves, significantly reducing reverberation and the “echo chamber” effect common in modern architecture. Available in an expansive palette of colours and sophisticated patterns, these boards offer a versatile toolkit for any design aesthetic. Whether you are outfitting a collaborative office or a quiet study hub, Acouline provides the technical excellence needed to harmonise your space’s visual and auditory experience.



Contents

CONTENTS	
Why Acouline?	4
Colour Range	7
WALL PANELS	8-11
WORKSTATION SOLUTIONS	12-23
Desk Mounted Screens	13
Boost & Halo Screens	15
Slide On Screens	17
Double End Wrap Screen	19
Single End Wrap Screen	20-21
Screen Clamps	22-23
CEILING SOLUTIONS	24-29
Halo & Hive Hanging Ceiling Panels	24
Span Hanging Ceiling Panels	26
Core Hanging Ceiling Panels	28
Acouline Ceiling Tiles	29
VERTICAL HANGING SCREENS	30-31
ECO PANEL PINBOARDS	32-33
QUICKMOUNT ACOUSTIC TILES	34-35


WHY ACOULINE?

Acoustics are a fundamental architectural layer. Rather than treating sound as an afterthought, Acouline™ merges precision engineering with sophisticated textures to curate atmosphere with intent.

At Acouline, we believe that a space should support the people within it, and that silence isn't only the absence of noise, but the presence of focus. In environments where communication and deep attentiveness coexist, untreated surfaces reflect sound waves, creating echoes and overlapping chatter. Our solutions are engineered to intercept these reflections, transforming collaborative environments into balanced, high-performance zones. Choose from a rich array of textures and colours to create a custom geometric installation that complements your brand identity.



Acouline boards are engineered to provide the technical infrastructure to ensure that your design is experienced in perfect clarity. By managing the invisible, we make the visible more impactful.





Habitat™ Collection

Inspired by the natural world, The Habitat Collection brings together 14 timeless colours that echo the tones of earth, water, and foliage. Designed with sustainability at its core, this palette creates calm, functional spaces that connect people back to nature. From soft neutrals to rich accents, The Habitat Collection offers designers a versatile foundation for interiors that are as environmentally responsible as they are beautiful.

- | | | |
|---|--|---|
|  Reed (#320) |  Moss (#090) |  Mist (#500) |
|  Ember (#120) |  Drift (#130) |  Flint (#030) |
|  Lake (#170) |  Frost (#380) |  Char (#040) |
|  Stream (#240) |  Truffle (#080) |  Coal (#070) |
|  Fern (#420) |  Clay (#370) | |



WALL PANELS

Acouline Wall Panels serve as a functional design statement, turning vast, reflective surfaces into powerful sound-absorbing features. By breaking up parallel wall reflections, these panels eliminate flutter echoes and sharpen speech clarity for meetings and presentations. With contemporary design at their core, Acouline Wall Panels prove that you don't have to sacrifice style to achieve a perfectly balanced acoustic environment.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Acouline Wall Panels



Habitat Clay™

V Groove – Glide Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPVGG2812	1200mm	2780mm	12mm
AP-24WPVGG2812	1200mm	2780mm	24mm



Habitat Frost™

V Groove – Ascend Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPVGA2812	1200mm	2780mm	12mm
AP-24WPVGA2812	1200mm	2780mm	24mm



Habitat Fern™

V Groove – Horizon Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPVGH2812	1200mm	2780mm	12mm
AP-24WPVGH2812	1200mm	2780mm	24mm

Acouline Wall Panels



Habitat Truffle ™



Habitat Mist ™




Habitat Moss ™



Habitat Lake ™



Habitat Flint ™



Habitat Stream ™

Form Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPF02812	1200mm	2780mm	12mm
AP-24WPF02812	1200mm	2780mm	24mm

Bond Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPB02812	1200mm	2780mm	12mm
AP-24WPB02812	1200mm	2780mm	24mm

Grid Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPGR2812	1200mm	2780mm	12mm
AP-24WPGR2812	1200mm	2780mm	24mm

Original Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPOG2812	1200mm	2780mm	12mm
AP-24WPOG2812	1200mm	2780mm	24mm

Herringbone Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPHB2812	1200mm	2780mm	12mm
AP-24WPHB2812	1200mm	2780mm	24mm

Cove Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPC02812	1200mm	2780mm	12mm
AP-24WPC02812	1200mm	2780mm	24mm



DESK MOUNTED SCREENS

A subtle layer of privacy for the modern workstation. Acouline Desk Mounted Screens sit lightly on the desk surface, helping soften the everyday distractions of open-plan environments. Multiple mounting options allow them to integrate across a wide range of desk systems, while three heights and two panel thicknesses provide flexibility, and their soft, radial corners complete the form with a calm, considered edge.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Clamps sold separately
Use with EPSCLAMP, BTBEPSC or EPSMC clamps

Desk Mounted Screens

300mm Height Screens



AP-12DSC7430-130 (Drift)



AP-12DSC11930-130 (Drift)



AP-12DSC14930-130 (Drift)



AP-12DSC17930-130 (Drift)

CODE	WIDTH	HEIGHT	THICKNESS
AP-12DSC7430	740mm	300mm	12mm
AP-12DSC11930	1190mm	300mm	12mm
AP-12DSC14930	1490mm	300mm	12mm
AP-12DSC17930	1790mm	300mm	12mm
AP-24DSC7430	740mm	300mm	24mm
AP-24DSC11930	1190mm	300mm	24mm
AP-24DSC14930	1490mm	300mm	24mm
AP-24DSC17930	1790mm	300mm	24mm

400mm Height Screens



AP-12DSC7440-040 (Char)



AP-12DSC14940-040 (Char)



AP-12DSC17940-040 (Char)

CODE	WIDTH	HEIGHT	THICKNESS
AP-12DSC7440	740mm	400mm	12mm
AP-12DSC11940	1190mm	400mm	12mm
AP-12DSC14940	1490mm	400mm	12mm
AP-12DSC17940	1790mm	400mm	12mm
AP-24DSC7440	740mm	400mm	24mm
AP-24DSC11940	1190mm	400mm	24mm
AP-24DSC14940	1490mm	400mm	24mm
AP-24DSC17940	1790mm	400mm	24mm

600mm Height Screens



AP-12DSC7460-170 (Lake)



AP-12DSC17960-170 (Lake)

CODE	WIDTH	HEIGHT	THICKNESS
AP-12DSC7460	740mm	600mm	12mm
AP-12DSC11960	1190mm	600mm	12mm
AP-12DSC14960	1490mm	600mm	12mm
AP-12DSC17960	1790mm	600mm	12mm
AP-24DSC7460	740mm	600mm	24mm
AP-24DSC11960	1190mm	600mm	24mm
AP-24DSC14960	1490mm	600mm	24mm
AP-24DSC17960	1790mm	600mm	24mm



WORKSTATION SCREENS


Bring peace and privacy directly to the desktop with Acouline Workstation Panels designed for the individual user. These high-density dividers create a personal acoustic cocoon, shielding staff from the immediate distractions of keyboards, phone calls, and nearby conversations. Use with Boost and Halo height adjustable desk systems to foster deep focus in high-energy environments. By treating noise at the source, these panels empower employees to perform at their peak throughout the day.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Clamps and Mounting Hardware sold separately

Boost & Halo Screens

900mm H Screens for Boost and Halo



AP-24DSC7590-030 (Flint)



AP-24DSC18090-030 (Flint)


CODE	WIDTH	HEIGHT	THICKNESS
AP-24DSC7590	750mm	900mm	24mm
AP-24DSC12090	1200mm	900mm	24mm
AP-24DSC15090	1500mm	900mm	24mm
AP-24DSC18090	1800mm	900mm	24mm

- Suits Boost and Halo workstations only
- Hardware kit not included
- Use code: AH-DB0326 SL for hardware kit

12mm Thick Three-Quarter Mount Screens



AP-123QDS7560-040 (Char)



AP-123QDS18060-040 (Char)

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QDS7560	750mm	600mm	12mm
AP-123QDS12060	1200mm	600mm	12mm
AP-123QDS15060	1500mm	600mm	12mm
AP-123QDS18060	1800mm	600mm	12mm

- Suits Boost and Halo workstations only
- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included
- Requires 1 pair of brackets per screen (Code: AH-3QB or AH-LTAB)

24mm Thick Three-Quarter Mount Screens



AP-243QDS12060-070 (Coal)



AP-243QDS18060-070 (Coal)

CODE	WIDTH	HEIGHT	THICKNESS
AP-243QDS7560	750mm	600mm	24mm
AP-243QDS12060	1200mm	600mm	24mm
AP-243QDS15060	1500mm	600mm	24mm
AP-243QDS18060	1800mm	600mm	24mm

- Suits Boost and Halo workstations only
- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included
- Requires 1 pair of brackets per screen (Code: AH-3QB or AH-LTAB)



SLIDE ON SCREENS

Acouline Slide On Screens install in seconds, sliding directly onto the desk for a clean and unobtrusive fit. Designed for simplicity, these integrated return screens introduce a gentle sense of enclosure between neighbouring users, shaping individual work zones while preserving the visual openness of the workspace.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Slide On Screens

Bloc Cut Slide On Screen

CODE	WIDTH	HEIGHT	THICKNESS
AP-12BCDS8030	800mm	300mm	12mm
AP-12BCDS8040	800mm	400mm	12mm
AP-12BCDS8060	800mm	600mm	12mm
AP-24BCDS8030	800mm	300mm	24mm
AP-24BCDS8040	800mm	400mm	24mm
AP-24BCDS8060	800mm	600mm	24mm

Hook Cut Slide On Screen

CODE	WIDTH	HEIGHT	THICKNESS
AP-12HODS8030	820mm	300mm	12mm
AP-12HODS8040	820mm	400mm	12mm
AP-12HODS8060	820mm	600mm	12mm
AP-24HODS8030	820mm	300mm	24mm
AP-24HODS8040	820mm	400mm	24mm
AP-24HODS8060	820mm	600mm	24mm

Bloc Cut



Hook Cut





END WRAP SCREENS

Reshape your workspace with a continuous gesture around the workstation. Acouline End Wrap Screens extend beyond the desktop, wrapping around the ends to create a more defined and protected work setting. The result is a quiet architectural frame that helps stylishly mute nearby distractions. Two heights and two panel thicknesses allow the screen to adapt to different workspace needs.

End Wrap Return Length: 400mm
Corners: Radial

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Clamps and Hardware sold separately

Double End Wrap Screens - 90° Cut

600mm Height Double Wrap Screen

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC20060	2000mm	600mm	12mm
AP-123QWSC23060	2300mm	600mm	12mm
AP-123QWSC26060	2600mm	600mm	12mm
AP-243QWSC20060	2000mm	600mm	24mm
AP-243QWSC23060	2300mm	600mm	24mm
AP-243QWSC26060	2600mm	600mm	24mm

- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included
- Requires 2 x pairs of brackets (Code: AH-3QB or AH-LTAB)

800mm Height Double Wrap Screen

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC20080	2000mm	800mm	12mm
AP-123QWSC23080	2300mm	800mm	12mm
AP-123QWSC26080	2600mm	800mm	12mm
AP-243QWSC20080	2000mm	800mm	24mm
AP-243QWSC23080	2300mm	800mm	24mm
AP-243QWSC26080	2600mm	800mm	24mm

- 620mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included
- Requires 2 x pairs of brackets (Code: AH-3QB or AH-LTAB)

600mm Height



AP-123QWSC20060-130 (Drift)



AP-123QWSC23060-040 (Char)



AP-123QWSC26060-170 (Lake)


800mm Height



AP-123QWSC20080-130 (Drift)



AP-123QWSC23080-040 (Char)



AP-123QWSC26080-170 (Lake)

Single End Wrap Screens 90° Cut - 600mm Height

600mm Height - Left Hand Side

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC16060L	1600mm	600mm	12mm
AP-123QWSC19060L	1900mm	600mm	12mm
AP-123QWSC22060L	2200mm	600mm	12mm
AP-243QWSC16060L	1600mm	600mm	24mm
AP-243QWSC19060L	1900mm	600mm	24mm
AP-243QWSC22060L	2200mm	600mm	24mm

- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included
- Requires 2 x pairs of brackets (Code: AH-3QB or AH-LTAB)

600mm Height - Right Hand Side

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC16060R	1600mm	600mm	12mm
AP-123QWSC19060R	1900mm	600mm	12mm
AP-123QWSC22060R	2200mm	600mm	12mm
AP-243QWSC16060R	1600mm	600mm	24mm
AP-243QWSC19060R	1900mm	600mm	24mm
AP-243QWSC22060R	2200mm	600mm	24mm

- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included
- Requires 2 x pairs of brackets (Code: AH-3QB or AH-LTAB)

Left Hand Wrap



AP-123QWSC16060L-080 (Truffle)

Right Hand Wrap



AP-123QWSC16060R-080 (Truffle)



AP-123QWSC19060L-370 (Clay)



AP-123QWSC19060R-370 (Clay)



AP-123QWSC22060L-120 (Ember)



AP-123QWSC22060R-120 (Ember)

Single End Wrap Screens 90° Cut - 800mm Height

800mm Height - Left Hand Side

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC16080L	1600mm	800mm	12mm
AP-123QWSC19080L	1900mm	800mm	12mm
AP-123QWSC22080L	2200mm	800mm	12mm
AP-243QWSC16080L	1600mm	800mm	24mm
AP-243QWSC19080L	1900mm	800mm	24mm
AP-243QWSC22080L	2200mm	800mm	24mm

- 620mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included
- Requires 2 x pairs of brackets (Code: AH-3QB or AH-LTAB)

800mm Height - Right Hand Side

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC16080R	1600mm	800mm	12mm
AP-123QWSC19080R	1900mm	800mm	12mm
AP-123QWSC22080R	2200mm	800mm	12mm
AP-243QWSC16080R	1600mm	800mm	24mm
AP-243QWSC19080R	1900mm	800mm	24mm
AP-243QWSC22080R	2200mm	800mm	24mm

- 620mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included
- Requires 2 x pairs of brackets (Code: AH-3QB or AH-LTAB)

Left Hand Wrap



AP-123QWSC16080L-080 (Truffle)



AP-123QWSC19080L-370 (Clay)



AP-123QWSC22080L-120 (Ember)

Right Hand Wrap



AP-123QWSC16080R-080 (Truffle)



AP-123QWSC19080R-370 (Clay)



AP-123QWSC22080R-120 (Ember)

Screen Clamps for Mounting

Desk Mounted Screen Clamp



CODE	COLOUR	WIDTH	DEPTH	HEIGHT
EPSCLAMP BK	Black	45mm	59mm	82mm
EPSCLAMP WH	White	45mm	59mm	82mm

- Use with single stand alone desks
- Set of 2 clamps in Black or White powdercoat finish
- Use EPSCLAMP to add a desk mounted screen to any workstation for privacy and sound reduction
- The desk mounted clamps fix screens to workstations in a clean and easy way by mounting straight onto the desk
- 5 year warranty

Back to Back Mounted Screen Clamp



CODE	COLOUR	WIDTH	DEPTH	HEIGHT
BTBEPSC BK	Black	45mm	72mm	92mm
BTBEPSC WS	White	45mm	72mm	92mm

- Use with Back to Back desks
- Set of 2 clamps in Black or White powdercoat finish
- Use BTBEPSC to add a desk mounted screen to any Back to Back workstation for privacy and sound reduction between users
- The Back to Back mounted clamps fix screens to workstations cleanly by mounting from under the desk
- 5 year warranty

Side Mounted Screen Clamp



CODE	COLOUR	WIDTH	DEPTH	HEIGHT
EPSMC BK	Black	45mm	53mm	94mm
EPSMC WS	White	45mm	53mm	94mm

- Use to side mount screens to edge of desks
- Set of 2 clamps in Black or White powdercoat finish
- Use EPSMC to add a side mounted screen to any workstation for more space on your desktop, for privacy and sound reduction
- The side mounted clamps fix screens to workstations in a clean and easy way by mounting from under the desk
- 5 year warranty

3-Quarter Mount Bracket



CODE	COLOUR	MOUNTING TYPE	WIDTH	DEPTH	HEIGHT
AH-3QB BK	Black	Above and Below Desk	35mm	60mm	95mm
AH-3QB WH	White	Above and Below Desk	35mm	60mm	95mm

- Sold as sets of 2 brackets
- Available in Black or White finish
- Suits screens with a thickness of 12-24mm
- Use this clamp for screens that sit on the back of workstations
- Use this clamp for 600H screens which sit both above and below desk
- Screen sits 420mm above desktop height and 180mm below desktop height
- Mounts to bottom of work surface
- 10 year warranty

3-Quarter Slimline Tab Bracket



CODE	COLOUR	MOUNTING TYPE	WIDTH	DEPTH	HEIGHT
AH-LTAB BK	Black	Above and Below Desk	25mm	125mm	89mm
AH-LTAB WH	White	Above and Below Desk	25mm	125mm	89mm

- Slimline bracket for use with workstations where parts of the workstation underframe are located close to the outer edges
- Suitable for use with return screens or return sections of wrap screens
- Sold as sets of 2 brackets in Black or White finish
- Suits screens with a thickness of 12-24mm
- Use this clamp for 600H screens which sit both above and below desk
- Screen sits 420mm above desktop height and 180mm below desktop height
- Mounts to bottom of work surface
- 10 year warranty



HALO & HIVE HANGING CEILING PANELS

Elevate your acoustic strategy by activating the largest unused surface in the workplace. Acouline Halo & Hive Ceiling Panels are suspended overhead to capture and soften sound before it can reflect back into the room, helping create a calmer and more balanced environment. Working quietly above the workspace, they reduce reverberation and lower overall noise levels while contributing a refined architectural feature. Available in a range of shapes and configurations, Halo & Hive Ceiling Panels deliver effective acoustic performance without compromising valuable floor or wall space.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years


Hanging hardware sold separately
Use with AH-CGPLUG24SL or AH-STAPLUG24SL

Halo Hanging Ceiling Panels




Pattern - Original

CODE	DIAMETER	THICKNESS
AP-24HALCPOG1180	1180mm	24mm
AP-24HALCPOG790	790mm	24mm



Pattern - Ripple


CODE	DIAMETER	THICKNESS
AP-24HALCPRP1180	1180mm	24mm
AP-24HALCPRP790	790mm	24mm



Pattern - V Groove


CODE	DIAMETER	THICKNESS
AP-24HALCPVG1180	1180mm	24mm
AP-24HALCPVG790	790mm	24mm

Hive Hanging Ceiling Panels




Pattern - Original

CODE	DIAMETER	THICKNESS
AP-24HIVCPOG1180	1180mm	24mm
AP-24HIVCPOG790	790mm	24mm



Pattern - Ripple

CODE	DIAMETER	THICKNESS
AP-24HIVCPRP1180	1180mm	24mm
AP-24HIVCPRP790	790mm	24mm



Pattern - V Groove

CODE	DIAMETER	THICKNESS
AP-24HIVCPVG1180	1180mm	24mm
AP-24HIVCPVG790	790mm	24mm



SPAN HANGING CEILING PANELS

Create a striking overhead feature while enhancing acoustic comfort throughout the space. Acouline Span Ceiling Panels introduce scale, texture, and rhythm above the workplace, helping to moderate sound and improve the overall atmosphere. Offered in a variety of sizes, patterns, and configurations, Span panels can be arranged to form unique compositions that complement the surrounding architecture. The result is a distinctive ceiling installation that combines functional acoustic treatment with strong visual expression.


NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Hanging hardware sold separately
Use with AH-CGPLUG24SL or AH-STAPLUG24SL




Pattern - Original

CODE	WIDTH	DEPTH	THICKNESS
AP-24SPCP0G126	1200mm	600mm	24mm
AP-24SPCP0G2412	2400mm	1200mm	24mm




Pattern - Ripple

CODE	WIDTH	DEPTH	THICKNESS
AP-24SPCPRP126	1200mm	600mm	24mm
AP-24SPCPRP2412	2400mm	1200mm	24mm




Pattern - V Groove - Glide

CODE	WIDTH	DEPTH	THICKNESS
AP-24SPCPVGG126	1200mm	600mm	24mm
AP-24SPCPVGG2412	2400mm	1200mm	24mm




Pictured Above:
Span Ceiling Panel with V Groove Horizon Pattern in Truffle Finish
Code: AP-24SPCPVGH2412 Truffle



Pattern - V Groove - Horizon

CODE	WIDTH	DEPTH	THICKNESS
AP-24SPCPVGH126	1200mm	600mm	24mm
AP-24SPCPVGH2412	2400mm	1200mm	24mm



Pattern - V Groove - Ascend


CODE	WIDTH	DEPTH	THICKNESS
AP-24SPCPVGA126	1200mm	600mm	24mm
AP-24SPCPVGA2412	2400mm	1200mm	24mm

CORE HANGING CEILING PANELS

Introduce depth and acoustic refinement overhead with Acouline Core Ceiling Panels. Available in two sizes and the full Habitat colour palette, they bring form, texture, and sound absorption together in a simple geometric expression. Combine with the Span Ceiling Panel range to create layered ceiling compositions with strong visual character.


NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Hanging hardware sold separately
Use with AH-CGPLUG24SL or AH-STAPLUG24SL




Pattern - Original

CODE	WIDTH	DEPTH	THICKNESS
AP-24COCPOG66	600mm	600mm	24mm
AP-24COCPOG1212	1200mm	1200mm	24mm



Pattern - V Groove - Ascend

CODE	WIDTH	DEPTH	THICKNESS
AP-24COCPVGA66	600mm	600mm	24mm
AP-24COCPVGA1212	1200mm	1200mm	24mm



Pattern - Ripple

CODE	WIDTH	DEPTH	THICKNESS
AP-24COCPRP66	600mm	600mm	24mm
AP-24COCPRP1212	1200mm	1200mm	24mm



Pattern - V Groove - Glide

CODE	WIDTH	DEPTH	THICKNESS
AP-24COCPVGG66	600mm	600mm	24mm
AP-24COCPVGG1212	1200mm	1200mm	24mm

ACOULINE CEILING TILES

Reimagine the traditional ceiling grid with Acouline Ceiling Tiles. Designed to integrate seamlessly into standard suspended ceiling systems, they combine acoustic performance with a clean architectural finish. Available in two tile sizes, they offer a simple way to enhance both the visual and acoustic quality of a space.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Hardware not included



Pattern - Original

CODE	WIDTH	DEPTH	THICKNESS
AP-12CTOG595	595mm	595mm	12mm
AP-12CTOG1195	1195mm	595mm	12mm






Acouline Hanging Screens

HANGING
SCREENS

Define space without closing it in. Acouline Hanging Screens introduce privacy, texture, and acoustic comfort to open-plan environments through a series of suspended vertical forms. Available in a range of precision cut patterns, they help soften sound movement while allowing light and sightlines to pass through. The result is a lightweight architectural feature that brings rhythm, colour, and greater focus to shared workspaces.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

Hanging hardware sold separately
Use with AH-CGSAD12SL, AH-CGSAD24SL, AH-STASAD12SL or AH-STASAD24SL




Pattern - Cell

CODE	HEIGHT	WIDTH	THICK
AP-12CELHS2412	2400mm	1200mm	12mm
AP-24CELHS2412	2400mm	1200mm	24mm
AP-12CELHS2712	2700mm	1200mm	12mm
AP-24CELHS2712	2700mm	1200mm	24mm




Pattern - Canopy

CODE	HEIGHT	WIDTH	THICK
AP-12CANHS2412	2400mm	1200mm	12mm
AP-24CANHS2412	2400mm	1200mm	24mm
AP-12CANHS2712	2700mm	1200mm	12mm
AP-24CANHS2712	2700mm	1200mm	24mm




Pattern - Vine

CODE	HEIGHT	WIDTH	THICK
AP-12VINHS2412	2400mm	1200mm	12mm
AP-24VINHS2412	2400mm	1200mm	24mm
AP-12VINHS2712	2700mm	1200mm	12mm
AP-24VINHS2712	2700mm	1200mm	24mm




Pattern - Pulse

CODE	HEIGHT	WIDTH	THICK
AP-12PULHS2412	2400mm	1200mm	12mm
AP-24PULHS2412	2400mm	1200mm	24mm
AP-12PULHS2712	2700mm	1200mm	12mm
AP-24PULHS2712	2700mm	1200mm	24mm



Pattern - Form

CODE	HEIGHT	WIDTH	THICK
AP-12FORHS2412	2400mm	1200mm	12mm
AP-24FORHS2412	2400mm	1200mm	24mm
AP-12FORHS2712	2700mm	1200mm	12mm
AP-24FORHS2712	2700mm	1200mm	24mm



Pattern - Rain

CODE	HEIGHT	WIDTH	THICK
AP-12RAIHS2412	2400mm	1200mm	12mm
AP-24RAIHS2412	2400mm	1200mm	24mm
AP-12RAIHS2712	2700mm	1200mm	12mm
AP-24RAIHS2712	2700mm	1200mm	24mm



ECO PANEL PINBOARDS

Support collaboration without compromising acoustic comfort. Acouline Eco Panel Pinboards provide a practical surface for sharing ideas, displaying information, and keeping teams connected, while also helping to soften noise within the workspace. The result is a functional design element that encourages creativity and contributes to a more focused environment.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 Years

* Stand Off Mounting Hardware Not Included
Use Code AH-SSC16 for available colours and pricing*

Eco Panel Pinboards

Choose your colour

Inspired by the natural world, The Habitat Collection offers a versatile palette of 14 timeless tones. From soft neutrals to rich foliage-inspired accents, choose your perfect finish from our full range on page 7.

Add-on Stand Off Mounting hardware available in Black or Silver at an additional cost.

Choose your size


Tailor your pinboard to fit your environment. Simply select from our available sizes below to create a functional, eco-friendly solution perfectly suited to your space.

Preset Sizes

CODE	WIDTH	HEIGHT	THICKNESS
AP-NFPIN96	900mm	600mm	12mm
AP-NFPIN99	900mm	900mm	12mm
AP-NFPIN129	1200mm	900mm	12mm
AP-NFPIN1212	1200mm	1200mm	12mm
AP-NFPIN159	1500mm	900mm	12mm
AP-NFPIN1512	1500mm	1200mm	12mm
AP-NFPIN189	1800mm	900mm	12mm
AP-NFPIN1812	1800mm	1200mm	12mm
AP-NFPIN219	2100mm	900mm	12mm
AP-NFPIN2112	2100mm	1200mm	12mm
AP-NFPIN249	2400mm	900mm	12mm
AP-NFPIN2412	2400mm	1200mm	12mm



AP-NFPIN99-090 (Moss) AP-NFPIN1512-080 (Truffle)



AP-NFPIN2412-040 (Char)



QUICKMOUNT ACOUSTIC TILES

Improve acoustic comfort with a simple, surface-mounted solution. Acouline Quickmount Acoustic Tiles are designed for easy installation, allowing walls, joinery, and other smooth surfaces to be enhanced with minimal disruption. Available in a range of colours and formats, they provide a flexible way to introduce sound absorption while adding texture and visual interest to the surrounding space.


NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: Group 1 (AS 5637.1) – Tested to AS ISO 9705-2003 (R2016)
Warranty: 10 years

Halo Tiles



CODE	DIAMETER	THICKNESS
AP-12QMHAL0600	600mm	12mm

Hive Tiles



CODE	WIDTH	HEIGHT	THICKNESS
AP-12QMHIVE600	600mm	600mm	12mm

Core Tiles



CODE	WIDTH	HEIGHT	THICKNESS
AP-12QMSQU600	600mm	600mm	12mm

Instructions



Step 1.

Ensure the wall is flat, dry and clean by wiping away all dust with a damp cloth – let it dry completely.

Make sure to use a primer on uneven or porous surfaces. Ensure the wall is warm and free of condensation.



Step 2.

Remove packaging and let the tiles sit in the installation room for 1-2 hours. This allows them to adjust to the local temperature and humidity, preventing future shrinkage or expansion. The room's environment should match its typical daily operating conditions.



Step 3.

Ensure all tiles align and sit at equal distances for a professional finish. Peel the film and press firmly.

2026 Habitat™ Collection



 **FURNX**

Furnx Queensland

2B / 39 Johnstone Road,
Brendale QLD 4500

Furnx New South Wales

Unit 6 / 2 Southridge Street,
Eastern Creek NSW 2766

Furnx Victoria

3 / 9-19 Leakes Road,
Laverton North, VIC 3026

Furnx South Australia

2 Pope Court,
Beverley SA 5009

Furnx Western Australia

Unit 2 / 26 Callaway Street,
Wangara WA 6065